

Easy Model Selection

The DOP-100 Series offers diverse models for different applications. Users can easily select a suitable HMI based on size or function



- ▶ Serial Communication Port x2
(D-sub x1)



- ▶ Serial Communication Port x2
(D-sub x1)



- ▶ Serial Communication Port x2
(D-sub x1)
- ▶ Ethernet port x1 (RJ45 x1)



- ▶ Serial Communication Port x3
(D-sub x2)




- ▶ Serial Communication Port x3
(D-sub x2)
- ▶ Ethernet Port x1 (RJ45 x1)



- ▶ Serial Communication Port x3
(D-sub x2)
- ▶ Ethernet Port x1 (RJ45 x1)



- ▶ Serial Communication Port x3
(D-sub x3)
- ▶ Ethernet Port x1 (RJ45 x1)



- ▶ Serial Communication Port x1
(D-sub x1) or Ethernet Port x1
(RJ45 x1)



- ▶ Serial Communication Port x2~4
(D-sub x1~2)
- ▶ Narrow frame design , Multi-language
- ▶ Ethernet Port x1~2 (RJ45 x1~2)



- ▶ Serial Communication Port x4
(D-sub x2)
- ▶ Narrow frame design , Multi-language, Multi-media
- ▶ Ethernet Port x2 (RJ45 x2)

Type Definition
DOP-107 W V

